

From Off-The-Shelf to Market-Ready© New Age Enclosures is your Single Source Solution.

Let us quote modifiying our Stock Enclosures to meet your end-use.

visit newageenclosures.com/services or call 855-4NA-ENCL today.









NEW AGE ENCLESURES




DEVELOP THE FUTURE


NOTES: UNLESS OTHERWISE SPECIFIED

- 1. CORNERS DRAWN SHARP TO BE R.005 MAXIMUM.
- 2. EXTERIOR SURFACE TEXTURE TO BE LIGHT EDM FINISH. EQUIVALENT TO MT-11010.
- 3. INTERIOR SURFACE TEXTURE TO BE: NONE.
- 4. ALL INSIDE RADII .010R. UNLESS OTHERWISE SPECIFIED.
- 5. ALL EXTERNAL DIMENSIONS AFFECTED BY THE DRAFT APPLY AT THE LARGE END OF THE FEATURE, AND ALL INTERNAL FEATURES AFFECTED BY THE DRAFT APPLY AT THE SMALL END OF THE FEATURE UNLESS
- 6. 1 DEGREE DRAFT IN THE DIRECTION OF PULL IS PERMISSIBLE UNLESS OTHERWISED SPECIFIED.
- 7. MATERIAL / COLOR: ABS PLASTIC IS STANDARD IN BLACK OR WHITE. CUSTOM MATERIALS AND COLORS ARE AVAILABLE UPON REQUEST FOR QUOTE. ALTERNATE RESINS HAVE DIFFERENT SHRINK RATES, AND WILL EFFECT DIMENSIONS.
- 8. PCB SIZES ARE RECOMMENDATIONS ONLY. FINAL SIZES AND VERIFICATION OF ITS FIT ARE THE SOLE RESPONSIBILITY OF EACH CUSTOMER.
- 9. ASSEMBLY SCREWS FOR THE ENCLOSURE INCLUDED.
- 10. THIS DRAWING IS BASED ON A SOLID MODEL, AND IS FURTHER DEFINED BY THE SOLID MODEL FILE.
- 11. ALLOWABLE FLASH: 0.015 MAX.
- 12. ALL EJECTOR PIN MARKS TO BE WITHIN 0.015" OF FLUSH, PROTRUDING OR BELOW FLUSH.
- 13. TRIM GATE WITHIN 0.030" OF FLUSH.

			R	Е	٧	I	S	I	0	N		
REV.	DRAWN BY	ECO No	DESCRIPTION								DATE	APPROVE
Α	M BOYER	JUSTIN	PRELIMINARY R	ELEASE							2019-Jan-21	D.C.
В	M BOYER		REVISE TEXTUR	E							2019-Jan-29	D.C.
С	M BOYER		REVISE PER DE	SIGN F	EEDBAC	K					2019-Feb-26	D.C.
1.0	M BOYER		UPDATE MODEL	TO AS-	BUILT	AND RE	LEASE				2019-Aug-08	







4	404012-PCB_062	404012 PCB - REFERENCE	.062" THICK	CUSTOMER SUPPLIED	1
3	404012-COVER	404012 COVER - STANDARD	ABS	BLACK or WHITE	1
2	404012-BASE	404012 BASE - STANDARD	ABS	BLACK or WHITE	1
1	SCREW_HILO-NO4X375	#4 HiLo x .375" SCREW	ZINK PLATED	3/8" LONG	4
ITEM	FILE NAME	DESCRIPTION	MATERIAL	COLOR	QTY.

BILL OF MATERIALS

THIRD ANGLE PROJECTION	TOLERANCES: UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN U.S. INCHES. X.XX = .015				
DO NOT SCALE DRAWING	NEW	AGE ENCLOSURES			
NOTICE: THE INFORMATION AND DATA CONTAINED HEREIN IS CONSIDERED	Custome	er's Part No: 404012			
PROPRIETARY TO ALLTEC INTEGRATED MFG INC & SHALL REMAIN THE EXCLUSIVE	APPROVAL	BY DATE			
PROPERTY OF ALLTEC INTEGRATED MFG INC THE HOLDER WILL ASSUME CUSTODY AND	CHECK				
CONTROL THAT THIS DOCUMENT WILL	ENG	The state of the s			

DISCLOSED WITHOUT THE EXPRESS WRITTE CONSENT OF ALLTEC INTEGRATED MFG INC

SCALE AS NOTED DRAWN BY M BOYER 2019-Jan-21

2240 South Thornburg Street ph. (805) 595-1310


www.newageenclosures.com SENSOR CUBE - STANDARD


REV.DOC


1.0


SXX-404012-XXX

SIZE DRAWING NAME 404012_CUBE_R1_0 1 OF 6











404012 - 2nd OPERATION DETAILS

NEW AGE ENCLOSURES DELIVERS YOUR ENCLOSURE MARKET-READY WITH IN-HOUSE
CNC MACHINING, PAD PRINTING, ASSEMBLY, AND FULFILLEMENT.

ALL SURFACES AND AREAS ARE AVAILABLE FOR CNC ALTERATION BY NEW AGE ENCLOSURES
CALL (805) 595-1310 FOR PRICING AND SCHEDULE.

THE INSIDE RADIUS OF ANY MACHINED FEATURES SHOULD BE NO SMALLER THAN .031"





SCALE 0.500

							DIMEN	
SXX-404012-XXX COVER - ABS, BLACK								
STEP NO	DESCRIP	TION	CUTTER	FIXTURE	ORIENTATION	PROGRAM	NEW XX	
1-C-C1	-	T2	2 = .062" EM	-		o3201	Custome	
2-C-C2	-	T2	2 = .062" EM	-		o3202	APPROVAL	
		CVV 404012	VVV COV		ADC DLACK		CHECK	
		SXX-404012-	XXX COV	EK - <i>F</i>	ABS, BLACK		ENG.	
STEP NO	DESCRIPTION	TION INK COLOR CLICHE DESCRIPTION CLICHE NO					SCALE DRAWN BY	
3-C-P1	PAD PRINT					CLXXXX R1	M BOYER	

	X.X	S: UNLES NSIONS AF XX = .015 XXX = .0	ENC.			
-	NEW	AGE I	2240 South Thorn ph. (805) 595- WWW.N			
-	Custome	er's Pa				
	APPROVAL	BY	DATE		(ENCOD
_	CHECK				S	ENSOR
	ENG.					SXX
╡	SCALE		AS NOT	ED		
•	DRAWN BY				SIZE	DRAWING NAME

2019-Jan-21

2240 South Thornburg Street Santa Maria, CA. 93455 ph. (805) 595-1310 fax (805) 595-1024 www.newageenclosures.com

REV.DOC

1.0

6 OF 6

SENSOR CUBE - STANDARD SXX-404012-XXX

A 404012_CUBE_R1_0